

Application No.: 10/074,992

**LISTING OF CLAIMS:**

1. (currently amended) A device for disinfecting operatory unit water and lines ~~and water used in dental and surgical procedures~~, comprising:

a liquid source such as a pressurized water line or a reservoir;

an ozone generator using a corona discharge to produce an ozone containing gas;

a protection system that prevents liquid from the liquid source from entering the ozone generator;

an ozone mixing system that mixes and dissolves the ozone containing gas in the liquid;

a circulation system that circulates the liquid containing dissolved ozone through a pressurized liquid circulation ~~passageway~~ loop connected to the operatory unit;

a separation system that separates undissolved gas from the ozonated liquid prior to circulating the ozonated liquid through the circulation passageway;

a reducing system that prevents ozone in the separated gas from escaping into the atmosphere by passing the gas through an ozone reducing material before venting; and

a liquid admitting system that inputs liquid from the liquid source into the mixing system to replace ~~output liquid~~ output to the operatory unit.

2. (original) The device of claim 1 wherein pressure regulation means maintains proper pressure in the liquid circulation passageway.

3. (original) The device of claim 1 wherein there is at least one connection in the pressurized liquid circulation passageway for outputting liquid with dissolved ozone.

4. (original) The device of claim 1 wherein a control system causes the device to operate as desired to produce liquid containing dissolved ozone and to circulate and output liquid containing dissolved ozone.

Application No.: 10/074,992

5. (currently amended) The device of claim 1 wherein said ozone generator generates more ozone ~~is generated~~ than can be dissolved in the liquid flow.

6. (currently amended) The device of claim 1 wherein in said ozone mixing system the dissolved ozone concentration in the liquid is determined by the solubility of ozone in the liquid.

7. (original) The device of claim 1 wherein the ozone containing gas is mixed with the liquid by use of a positive pressure pump.

8. (original) The device of claim 1 wherein the ozone containing gas is further mixed with the liquid by use of a static mixer.

9. (original) The device of claim 1 wherein the ozone containing gas is mixed with the liquid by use of a gas diffuser.

10. (original) The device of claim 1 wherein undissolved ozone containing gas is separated from the liquid by use of a porous hydrophobic material

11. (original) The device of claim 1 wherein undissolved ozone containing gas is separated from the ozonated liquid at near atmospheric pressure.

12. (currently amended) The device of claim 1 wherein a barrier prevents liquid ~~is prevented~~ from entering the ozone reducing material.

13. (currently amended) The device of claim 1 wherein liquid is prevented from entering the ozone reducing material by use of a porous hydrophobic barrier.

14. (original) The device of claim 1 wherein the source of the liquid provides pressure to circulate and output the ozonated liquid.

Application No.: 10/074,992

15. (original) The device of claim 1 wherein a pump provides pressure to circulate and output the ozonated liquid.

16. (currently amended) The device of claim 1 wherein said circulation system discards the ozonated liquid is circulated through the pressurized liquid circulation passageway and liquid which is not outputted for use is discarded as waste liquid which is not output for use.

17. (original) The device of claim 16 wherein the ozonated liquid that is discarded as waste is directed to rinse a cuspidor.

18. (original) The device of claim 1 wherein a pump for withdrawing liquid containing dissolved ozone from the ozone mixing system recirculates the liquid under pressure through a loop that conducts the liquid back to the ozone mixing system.

19. (currently amended) The device of claim 1 wherein an further including an ozone sensor in said liquid circulation passageway, the ozone sensor connected to an alarm to indicate ~~causes an indicator to show~~ whether the device is operating properly.

20. (currently amended) The device of claim 19 wherein the ozone generate ~~or generator~~ and ozone mixing system are responsive to the ozone sensor.

21. (original) The device of claim 1 wherein a valve controls the rate of output flow of the ozonated liquid.

22. (original) The device of claim 1 wherein a porous hydrophobic barrier is used to prevent liquid from entering the ozone generator.

Application No.: 10/074,992

23. (currently amended) The device of claim 1 wherein the ozone generator uses oxygen to produce an ozone containing gas and where the source of oxygen for the ozone generator is dried air supplied to an the operatory unit.

24. (original) The device of claim 1 wherein air is dried by a desiccant protected from moist air by valves when the device is not being operated.

25. (currently amended) The device of claim 1 wherein further including a control system is responsive to a lack of supply water, for controlling at least the ozone generator and circulation system.

26. (original) The device of claim 1 wherein a filter is installed in the liquid passageway.

27. (currently amended) The device of claim 1 wherein liquid containing dissolved ozone is recirculated through a ~~multi-lumen, or plurality of, flexible tubing connected to a~~ valved dispensing means.

28. (currently amended) The device of claim 27 wherein a the valved dispensing means is located as near as possible to the point of use and is responsive to air pressure.

29. (original) The device of claim 28 wherein the source of the air pressure is air used to drive a turbine in a hand piece.

30. (currently amended) The device of claim 1 further including a control system and a sensor in communication with the control system, wherein liquid level in the treatment chamber is monitored by a the ~~sensor in communication with a control system.~~

Application No.: 10/074,992

31. (currently amended) The device of claim 1 further including a control system wherein a the control system, in response ~~is responsive~~ to a period of non-use, turns ~~to turn the device system~~ off.